3316 Bonnybrook Rd, SE Calgary, AB T2G 4M9 Phone: 403-571-7000 Fax: 403-571-7070

www.canadamaltina.com

## **Technical Data Sheet**

# CANADA MALTING FLAKED WHEAT

### TYPICAL ANALYSIS\*

Colour	Moisture %	Protein Total	Extract FG	DP
°L	Max.	Max.	Dry	
1.4 – 1.8	12.0	11.5	70 – 75	Negligible

<sup>&</sup>lt;sup>+</sup> Figures listed under Typical Analysis are subject to standard analytical deviations. They represent average values and are not to be considered as guarantees. A Certificate of Analysis based on a specific lot will be supplied at time of shipment.

## STORAGE AND SHELF LIFE

- Store in cool, dry conditions
- Keep away from pests and odours
- Optimum shelf life within 6 months from date of manufacture

## CERTIFICATIONS AVAILABLE

- Produced at a HACCP certified facility
- Kosher

#### PRODUCT CHARACTERISTICS

- Product deliveries shall conform to the Canadian Food and Drug Act
- Produced from AMBA/BMBRI approved malting varieties
- Raw materials are tested for traces of pesticides, mycotoxins and heavy metals by a 3<sup>rd</sup> party laboratory
- All ingredients are manufactured, stored and transported in such a manner as to prevent chemical, physical, or biological contamination including pest infestation
- Product is ready to use
- Fit for human consumption
- Free of Genetically Modified materials
- Product of Canada

#### **ALLERGENS**

- Malt products contain gluten which can cause adverse reaction for people with gluten intolerance
- Malt may be produced with Sulphur Dioxide and thus may have residual Sulphites, actual value will be reported on Certificate of Analysis at customer request

Product Flaked Wheat Issue Date February 19, 2020

Revision

04



# CANADA MALTING CO. LTD

3316 Bonnybrook Rd, SE Calgary, AB T2G 4M9 Phone: 403-571-7000 Fax: 403-571-7070

www.canadamalting.com

# WARNING

- Protect from heat source
- > Excessive dust may cause skin irritation and breathing issues
- > See SDS for Combustible dust hazard information



Product Flaked Wheat Issue Date February 19, 2020 Revision 04